

# Installation Instructions

## DL CORE:S-DC-DL/GU10\_



### Safety Precautions.

- Power Isolation: Always disconnect the power supply before installing, removing, or servicing the product to prevent electric shock, injury, or damage.
- Qualified Installation: Luminaires should be installed by a certified electrician in accordance with current local wiring regulations.
- Damaged Components: Replace any broken or faulty parts promptly. Spectre Lighting cannot be held liable for issues resulting from poor installation practices.
- Ambient Temperature: Ensure the room temperature does not exceed 25°C during operation.
- Power Supply Compatibility: These products are intended for use with a mains supply of 230–240V~ at 50/60Hz.
- Inrush Current Consideration: You may need to upgrade your MCBs to accommodate higher inrush currents.
- Insulation Testing: Do not perform insulation resistance tests while the product is connected to the circuit.
- Preparation: Review all instructions thoroughly and confirm you have the necessary tools and accessories for proper installation.

5yrs  
Warranty

Unit 8 Gemini 8 Business Park  
Charon Way  
Apollo Park  
Warrington  
WA5 7AE

[www.spectre-lighting.com](http://www.spectre-lighting.com)

### Installation Instructions

Ensure power supply is isolated before proceeding with installation.

Fig 1. Locate desired surface for recessed installation. Measure, draw and cut out hole applicable to product size. (see page 2 for cut out measurements). Feed through supply cable.

Fig 2. Using remote terminal housing, connect supply cable to luminaire into push fit terminations ensuring correct polarity is observed. These products are intended for use with a mains supply of 220–240V~ at 50/60Hz.

Fig 3. Once supply cable is in position, secure and fix supply cables into position using cable clamp inside terminal housing.

Fig 4. Retract housing spring clips and offer in cut out.

Fig 5. Insert and twist GU10 lamp into the GU10 lamp holder (lamp not supplied).


Fig 6. Insert lamp into inner bezel / lamp retaining ring and offer into downlight.

Fig 7. Offer lamp and inner bezel / lamp retainer into downlight, align key slots and twist into position.

Fig 8. Reinstate power supply.

IP20

CE UK CA RoHS compliant



# Installation Instructions



## DL CORE:S-DC-DL/GU10\_


### Specification

S-DC-DL/GU10/\_

- Voltage Range - 220-240V 50/60Hz
- Class I
- 7W Max
- Lamp Type - GU10
- IP20

### Dimensions



 Important Disposal Information for Waste Electrical & Electronic Equipment (WEEE)

Please be aware that Waste Electrical and Electronic Equipment (WEEE), identified by the crossed-out wheelie bin symbol, must NOT be disposed of with regular household waste.

We encourage you to support reuse, recycling, and responsible recovery by returning this product—once it reaches the end of its life—to an appropriate collection point. This may include a designated waste equipment centre, a civic amenity site, or the retailer where you originally purchased the item or are buying a replacement.

Improper disposal of this equipment may release substances that are harmful to both human health and the environment. To prevent this, it is essential that WEEE is separated from general waste and processed through approved recycling channels.

The crossed-out wheelie bin symbol serves as a reminder that this product requires special handling in accordance with local WEEE regulations.



Unit 8 Gemini 8 Business Park  
Charon Way  
Apollo Park  
Warrington  
WA5 7AE

[www.spectre-lighting.com](http://www.spectre-lighting.com)

IP20

CE UK RoHS  
CA complaint 

# Installation Instructions

## DL CORE:S-DC-DLT/GU10/\_




### Safety Precautions.

- Power Isolation: Always disconnect the power supply before installing, removing, or servicing the product to prevent electric shock, injury, or damage.
- Qualified Installation: Luminaires should be installed by a certified electrician in accordance with current local wiring regulations.
- Damaged Components: Replace any broken or faulty parts promptly. Spectre Lighting cannot be held liable for issues resulting from poor installation practices.
- Ambient Temperature: Ensure the room temperature does not exceed 25°C during operation.
- Power Supply Compatibility: These products are intended for use with a mains supply of 230–240V~ at 50/60Hz.
- Inrush Current Consideration: You may need to upgrade your MCBs to accommodate higher inrush currents.
- Insulation Testing: Do not perform insulation resistance tests while the product is connected to the circuit.
- Preparation: Review all instructions thoroughly and confirm you have the necessary tools and accessories for proper installation.

5yrs  
Warranty

Unit 8 Gemini 8 Business Park  
Charon Way  
Apollo Park  
Warrington  
WA5 7AE

[www.spectre-lighting.com](http://www.spectre-lighting.com)



### Installation Instructions

Ensure power supply is isolated before proceeding with installation.

Fig 1. Locate desired surface for recessed installation. Measure, draw and cut out hole applicable to product size. (see page 2 for cut out measurements). Feed through supply cable.

Fig 2. Using remote terminal housing, connect supply cable to luminaire into push fit terminations ensuring correct polarity is observed. These products are intended for use with a mains supply of 220–240V~ at 50/60Hz.

Fig 3. Once supply cable is in position, secure and fix supply cables into position using cable clamp inside terminal housing.

Fig 4. Retract housing spring clips and offer in cut out.

Fig 5. Insert and twist GU10 lamp into the GU10 lamp holder (lamp not supplied).

Fig 6. Insert lamp into inner bezel / lamp retaining ring and offer into downlight.

Fig 7. Offer lamp and inner bezel / lamp retainer into downlight, align key slots and twist into position.

Fig 8. Reinstated power supply.

IP20

CE UK CA RoHS compliant

# Installation Instructions

## DL CORE:S-DC-DLT/GU10/\_




### Specification


S-DC-DLT/GU10/\_


- Voltage Range - 220-240V 50/60Hz
- Class I
- 7W Max
- Lamp Type - GU10
- IP20

### Dimensions



83mm



 Important Disposal Information for Waste Electrical & Electronic Equipment (WEEE)

Please be aware that Waste Electrical and Electronic Equipment (WEEE), identified by the crossed-out wheelie bin symbol, must NOT be disposed of with regular household waste.

We encourage you to support reuse, recycling, and responsible recovery by returning this product—once it reaches the end of its life—to an appropriate collection point. This may include a designated waste equipment centre, a civic amenity site, or the retailer where you originally purchased the item or are buying a replacement.

Improper disposal of this equipment may release substances that are harmful to both human health and the environment. To prevent this, it is essential that WEEE is separated from general waste and processed through approved recycling channels.

The crossed-out wheelie bin symbol serves as a reminder that this product requires special handling in accordance with local WEEE regulations.

Unit 8 Gemini 8 Business Park  
Charon Way  
Apollo Park  
Warrington  
WA5 7AE

[www.spectre-lighting.com](http://www.spectre-lighting.com)

IP20

CE UK  
CA

RoHS  
compliant



# Installation Instructions

## DL CORE:S-DC-BDL/GU10/\_



### Safety Precautions.

- Power Isolation: Always disconnect the power supply before installing, removing, or servicing the product to prevent electric shock, injury, or damage.
- Qualified Installation: Luminaires should be installed by a certified electrician in accordance with current local wiring regulations.
- Damaged Components: Replace any broken or faulty parts promptly. Spectre Lighting cannot be held liable for issues resulting from poor installation practices.
- Ambient Temperature: Ensure the room temperature does not exceed 25°C during operation.
- Power Supply Compatibility: These products are intended for use with a mains supply of 230–240V~ at 50/60Hz.
- Inrush Current Consideration: You may need to upgrade your MCBs to accommodate higher inrush currents.
- Insulation Testing: Do not perform insulation resistance tests while the product is connected to the circuit.
- Preparation: Review all instructions thoroughly and confirm you have the necessary tools and accessories for proper installation.

5yrs  
Warranty

Unit 8 Gemini 8 Business Park  
Charon Way  
Apollo Park  
Warrington  
WA5 7AE

[www.spectre-lighting.com](http://www.spectre-lighting.com)

### Installation Instructions

Ensure power supply is isolated before proceeding with installation.

If installing into a bathroom / wet room application, please refer to Zone ratings and circuit protection required in current wiring regulations.

Bathroom Zone details on page 2.

Fig 1. Remove bezel / front lens assembly from downlight.

Fig 2. Insert lamp into inner bezel / lamp retaining ring and offer into downlight.

Fig 3. Locate GU10 lamp within the downlight.

Fig 4. Insert and twist GU10 lamp into the GU10 lamp holder (lamp not supplied).

Fig 5. Offer lamp and inner bezel / lamp retainer into downlight and twist into position.

Fig 6 Using remote terminal housing, connect supply cable to luminaire into push fit terminations ensuring correct polarity is observed. These products are intended for use with a mains supply of 220–240V~ at 50/60Hz.


Once supply cable is in position, secure and fix supply cables into position using cable clamp inside terminal housing.

Fig 7. Locate desired surface for recessed installation. Measure, draw and cut out hole applicable to product size. (see page 2 for cut out measurements). Feed through supply cable.

Retract housing spring clips and offer in cut out.

Reinstate power supply.

IP65





# Installation Instructions


## DL CORE:S-DC-BDL/GU10/\_



### Dimensions



75mm




### Specification

S-DC-DL/GU10/\_

- Voltage Range - 220-240V 50/60Hz
- Class I
- 7W Max
- Lamp Type - GU10
- IP65

Unit 8 Gemini 8 Business Park  
Charon Way  
Apollo Park  
Warrington  
WA5 7AE

[www.spectre-lighting.com](http://www.spectre-lighting.com)

 Important Disposal Information for Waste Electrical & Electronic Equipment (WEEE)

Please be aware that Waste Electrical and Electronic Equipment (WEEE), identified by the crossed-out wheellie bin symbol, must NOT be disposed of with regular household waste.

We encourage you to support reuse, recycling, and responsible recovery by returning this product—once it reaches the end of its life—to an appropriate collection point. This may include a designated waste equipment centre, a civic amenity site, or the retailer where you originally purchased the item or are buying a replacement.

Improper disposal of this equipment may release substances that are harmful to both human health and the environment. To prevent this, it is essential that WEEE is separated from general waste and processed through approved recycling channels.

The crossed-out wheellie bin symbol serves as a reminder that this product requires special handling in accordance with local WEEE regulations.

**IP65**

**CE** **UK** **RoHS**  
**CA** **compliant**

